Bill H. 898: AN ACT TO END THE TAKING OF HORSESHOE CRABS FOR BAIT

General Court 194th, 2025

Sponsor: Michelle L. Badger, 1st Plymouth

Co-sponsors: Senator Patrick M. O'Connor, First Plymouth and Norfolk; Senator Jay D. Livingstone, 8th Suffolk

Purpose of Bill H. 898: This bill seeks to prohibit taking horseshoe crabs for use as bait in commercial fishing, thereby protecting declining horseshoe crab populations and restoring the ecological balance of coastal ecosystems.

Background & Need for Legislation

Ecological Importance:

• Horseshoe crabs play a critical role in the coastal food web, their eggs are a primary food source for shorebirds, including the federally threatened Red Knot and several commercially valuable fish.

Medical Significance: Too valuable to kill for bait:

- Horseshoe crab blood is used to produce Limulus Amebocyte Lysate (LAL), a critical and widely adopted method for **endotoxin testing** in both vaccines and medical devices.
- During the transition to synthetic LAL, when horseshoe crab blood is still critical for ensuring the safety of our vaccines and injected medicines, every horseshoe crab must be kept alive. They are too important to be killed for bait.


Horseshoe Crab Devastation:

- **Indifference:** Bait fishermen pull apart spawning groups, fatally damaging the claspers of unwanted males.
- Habitat: Extreme weather, sea level rise, and coastal development all contribute to the loss of nursery and spawning areas.
- Historic mismanagement: In the 1940s, Massachusetts launched a horseshoe crab eradication program offering 3cent bounties per crab. The Division of Marine Fisheries (DMF) estimates up to 500,000 were killed annually from 1960–1970, excluding additional town-led efforts.

Biomedical Use:

- Massachusetts allows horseshoe crab takes for both bait and biomedical use. In 2024, Cape Cod companies bled 200,000 crabs from Massachusetts—plus an unknown number from other states—and are required to return them to their original capture sites. Under the "Rent-a-Crab" program, live crabs are leased for bleeding and then sold as bait, blurring the line between biomedical use and bait fishing. These crabs should be kept alive, not killed for bait.
- The table below provides a state-by-state comparison of bait and biomedical quotas, as well as fishery closures.

| 2023-2024 (Proposed)* | MD | DE | NY | MA | VA | RI | SC⁰ | NJ | GAº | NC | FL° | ME° | NH⁰ | PAº | CT** |
|--|------------------------|------------------------|---------|---------|---|-------|-----|----|------------|--------|-------|-----|-----|-----|------|
| Biomedical | Y | Y | Y | Y | Y | Y | Y | Y | — | _ | — | — | — | — | — |
| Bait State Quotas | 186,466 (male only) | 173,014 (male only) | 150,000 | 140,000 | 81,331 (male-only East of COLREGS) | 8,398 | 0 | 0 | 29,31 2 | 24,036 | 9,455 | 0 | 0 | 0 | 0 |
| *Atlantic States Marine Fisheries Commission Fishery Management Plan Horseshoe Crab 2023 Fishing Year, 2024 proposed quotas. **CT prohibits the hand harvesting of horseshoe crabs or their eggs in state waters, effective October 1st, 2023 °De minimis status—average landings for the last three years <u>is</u> less than 1% of the coastwide landings. | | | | | | | | | | | | | | | |



Horseshoe Crab Food Web

Biomedical Use Cont.

 Crabs are confined during their spawning season, pierced in the heart, and drained of as much as a third of their blood. The DMF cites a 1.3% mortality rate, yet no research has examined how bleeding impacts reproduction or egg viability in repeatedly bled females. We're flying blind while risking the collapse of a species critical to the health of coastal ecosystems. As long as their blood fuels testing protocols, the bait take must end—Massachusetts' horseshoe crabs can't survive both.

Won't this hurt the fishing industry?

- Horseshoe crab bait value—2024: 140,000-quota reached. 40 fishermen earn \$2/bait crab = \$280,000.
- Eel fishery stock is depleted—2023 assessment eel populations are at or near historically low levels due to overfishing and habitat loss.¹
- Immature Whelk Harvest: The DMF's current plan raises the minimum take size only to the point where *half* of female whelks are mature—and not until 2036. DMF will allow the take of millions of immature whelks for more than a decade BEFORE they can even reproduce, accelerating the collapse of yet another vulnerable fishery
- Horseshoe Crab Fishery in Decline Horseshoe crabs take roughly 12 years to reach maturity and begin spawning, making them especially vulnerable to overharvesting. Using such a slow-reproducing species for bait is not only unsustainable, but shortsighted — particularly given their critical value to biomedical applications and human health.
- House Bill 2177 Aims to reduce the financial impact of regulatory actions on commercial fishers. We support this bill as a vital step in helping bait fishermen adapt to the phase-out of horseshoe crab harvesting for bait.

Existing Protections & Loopholes:

• Harvest restrictions: 2024—DMF restricted all harvest April 15 to June 7. Horseshoe crabs **spawn successively** May through July. Early spawning crabs may escape only to be picked up later as spawning continues.

Benefits of the Legislation

- Supports commercial fisheries—At least nine valuable fish species rely on horseshoe crabs and their eggs. Restoring horseshoe crab populations could strengthen these fisheries long term.
- Protects Ecosystems & Wildlife: Safeguards coastal habitats, supports migratory shorebirds, and boosts marine biodiversity.
- Secures LAL supply as biomedical labs transition to synthetic alternatives.

Public & Scientific Support:

• H. 898 is backed scientists, conservation groups and community members who remember when **horseshoe crabs thrived** on Massachusetts' beaches.

See the full list of supporters at horseshoecrabs.org.

| Horseshoe Crabs —Bait for Whelk Fisheries DMF Horseshoe Crab Science Meeting Presentations - Dealer Data | | | | | | | |
|---|-----------|-----------------|-------------|--------------------------|---------------------|--|--|
| Species | Pounds | Price/ Pound | Value | # HSC Killed for Bait | HSC Active | | |
| 2024 | | | | | | | |
| Horseshoe Crab | 836,711 | \$1.3 | \$1,104,225 | 140,170 | "Decreasing" N/A | | |
| Channeled Whelk | 713,873 | \$2.8 | \$2,020,278 | | | | |
| Knobbed Whelk | 44,305 | \$1.6 | \$72,732 | | | | |
| 2022 | | | | | | | |
| Horseshoe Crab | 838,025 | \$.97 | \$811,442 | 134,753 | ~40 | | |
| Channeled Whelk | 895,390 | \$4.2 | \$3,734,328 | | | | |
| Knobbed Whelk | 74,502 | \$2.1 | \$156,181 | | | | |
| 2020 | | | | | | | |
| Horseshoe Crab | 602,729 | \$1 | \$606,695 | 144,534 | 48 | | |
| Channeled Whelk | 948,788 | \$3.3 | \$3,154,889 | | | | |
| Knobbed Whelk | 90,087 | \$1.7 | \$152,768 | | | | |
| 2018 | | | | | | | |
| Horseshoe Crab | 541,367 | \$.82 | \$448,010 | 159,002 | 57 | | |
| Channeled Whelk | 1,347,500 | \$3.2 | \$4,322,891 | | | | |
| Knobbed Whelk | 197,389 | \$1.3 | \$265,770 | | | | |

Massachusetts Fisheries Landings and Values

| Commercially Valuable Fish that Rely on Horseshoe Crabs or Their Eggs | | | | | | |
|--|------------|---------------|--|--|--|--|
| Common | Landings | Commercial | | | | |
| Name | | Value (2024) | | | | |
| American | | | | | | |
| Lobster | 16,430,116 | \$114,992,323 | | | | |
| Winter | | \$3,632,928 | | | | |
| Flounder | 1,857,497 | | | | | |
| Menhaden | 12,346,376 | \$2,933,950 | | | | |
| Striped | 662,810 | \$2,858,631 | | | | |
| Bass | 002,810 | | | | | |
| Black Sea | | \$2,401,301 | | | | |
| Bass | 945,972 | | | | | |
| Fluke | | | | | | |
| (summer | 640,663 | \$2,138,274 | | | | |
| flounder) | 040,003 | | | | | |
| Scup | 797,756 | \$708,664 | | | | |
| Tautogs | 68,033 | \$326,573 | | | | |
| Blue Fish | 149,518 | \$312,083 | | | | |



¹ McKiernan, D. Director, DMF, Memo. Commercial American Eel Management and Permitting, p2. Dec. 12, 2024.